Planetary Pressure Wave of 4- to 5-Day Period in the Tropics

B. M. MISRA—Indian Institute of Tropical Meteorology, Poona, India

ABSTRACT—Surface pressure data during the International Geophysical Year period for 76 stations in the tropical zone 20°N-20°S have been examined to investigate the propagation characteristics, if any, of the 4- to 5-day pressure oscillations. Cross-spectrum analysis with a first-difference filter and the Tukey window has been

employed. The phase spectrum shows that the 4- to 5-day oscillations result from a westward moving wave having a periodicity of 4-5 days and wave number 1. The direction of propagation is identical in both hemispheres and shows no inclination to latitude circles.

1. INTRODUCTION

In a recent paper, Misra (1971) presented evidence for the global scale of an atmospheric pressure oscillation of 4- to 5-day periodicity. A plot of the phase difference against the longitude difference for stations arranged in zonal belts demonstrates the existence of a westward propagating wave having periodicity of 4-5 days and wave number 1. The wave was earlier evidenced in an analysis by Wallace and Chang (1969), who used data for a few stations north of the Equator. The present paper examines more closely the behavior of this wave propagation in the tropical zone 20°N-20°S.

2. DATA AND COMPUTATION

The data for the study cover the tropical stations from the global analysis undertaken by Misra (1971). The identifications of 76 stations chosen in the Tropics are given in table 1. The data consist of 549 daily 1200 gmt values of sea-level pressure for the International Geophysical Year period (July 1, 1957–Dec. 31, 1958). Low-level stations have been selected to minimize the error due to pressure reduction.

As in Misra (1971), the computation of spectra in the present work follows the method of Jenkins and Watts (1968), with the divisor N (the total number of data points) being used in the covariance estimation instead of N-L (L=lag used). A first-difference filter has also been utilized to cut down the low-frequency characteristics of the series. Thus, the final analysis covers the daily 24-hr pressure-tendency values for the stations.

To study the propagation characteristics, we grouped the stations in 5° zonal belts. For the consideration of phase, the bivariate spectral methods have been extended to this multivariate case. A test, referred to and cited by Misra (1971), shows preference for the use of lag 20 with the Tukey window (Jenkins and Watts 1968) for smoothing purposes.

As the first step, the phases at all frequencies for different stations are calculated with respect to a particular reference station. From the various frequencies obtained with lag 20, attention is drawn to the particular periodicity of 4.4 days. This choice comes from a study of the autospectra of the stations, which invariably show a peak in the region of 4–5 days. This fact is discussed in detail by Misra (1971). The phase estimates of the stations, obtained for the 4.4-day period wave, are then plotted against their longitude differences from the reference station. The latter is taken positive eastward.

The reference station is then changed and the process is repeated with the new plot overlaid on the previous one. After using all the stations in a particular belt as references, the computations are carried on to the next belt.

3. RESULTS

The plots of phase difference against longitude difference for various reference stations in different zonal belts in two hemispheres are presented in figures 1 and 2. The figures show that there is a tendency for the phase difference to attain the value 2π while a complete circle around the globe is covered. The behavior is unchanged with the change of reference stations and hence can be ascribed to a property of the whole belt. It may be mentioned that the coherency for the 4.4-day wave with various stations taken as references varies between 0.2 and 0.7. If one takes an average of 0.5 with the number of degrees of freedom being as high as 73, the 95-percent confidence interval for the phase estimates is approximately $\pm 20^{\circ}$. Thus, with all statistical reliability, the 4- to 5-day oscillation in surface pressure results in a westward propagating wave having the same periodicity and its wavelength equaling the circumference of a zonal circle. A comparison between different belts in two hemispheres does not show any specific change. The propagation properties are seen to be practically identical on both sides of the Equator.

	ABLE 1.—Station to	Charge	
Station name	Latitude	Longitude	Height (m
0°-5° N			
Libreville	0°27′N	9°25′E	10
Mogadiscio	2°02′N	45°21′E	9
Singapore	1°21′N	103°54′E	10
Tarawa	1°21′N	172°55′ E	4
Fanning Island	3°54′N	159°23′W	5
Santa Elena	4°36′N	61°07′W	907
Tabou	4°25′N	7°22′W	10
<u>5°-10° N</u>			
Makurdi	7°41′N	8°37′E	97
Galcayo	6°51′N	47°16′E	302 64
Trivandrum Songkhla	8°29′N 7°11′N	76°57′E 100°37′E	10
Davao	7°04′N	125°36′E	20
Truk	7°28′N	151°51′E	8
Majuro	7°05′N	171°23′E	3
Albrook	8°58′N	79°36′W	9
Atkinson	6°30′N	58°15′W	28
Bonthe	7°32′N	12°30′W	8
10°-15° N			
Potiskum	11°42′N	11°02′E	414
Assab	13°01′N	42°43′E	14
Madras	13°00′N	80°11′E 100°30′E	16
Bangkok	13°44′N	100°30′E 122°57′E	12 11
Daet Anderson	14°07′N 13°34′N	144°55′E	162
Eniwetok	11°21′N	162°21′E	6
Seawell Airport	13°04′N	59°29′W	56
Ziguinchor	12°33′N	16°16′W	23
15°-20° N			
Bilma	18°41′N	12°55′E	357
Port Sudan	19°35′N	37°13′E	2
Bombay	. 19°07′N	72°51′E	4
Phitsanulok	16°50′N	100°16′E	50
Laoag	18°11′N	120°32′E	5
Wake Island	19°17′N	166°39′E	4
Johnston Island Hilo	16°44′N 19°43′N	169°31′W 155°04′W	5 11
Manzanillo, Mexico	19°03′N	104°20′W	6
Swan Island	17°24′N	83°56′W	11
Raizet	16°16′N	61°31′W	8
Mindelo	16°53′N	24°59′W	15
0°-5° S			
Mayumba	3°25′S	10°39′E	34
Mombasa	4°02′S	39°37′E	56
Mahé	4°37′S	55°27′E	1
Bengkulu	3°52′S	102°20′E	16
Ambon	3°42′S	128°05′E	12
Kaimana Rabaul	3°40′S 4°13′S	133°45′E 152°11′E	3 8
Canton Island	2°46′S	171°43′W	3
Iquitos	3°45′S	73°15′W	126
Belém	1°26′S	48°29′W	24
5°-10° S			
 Luanda	8°51′S	13°14′E	70
Dar es Saalam	6°53′S	39°12′E	58
Diego Garcia	7°21′S	72°29′E	2
Djakarta	6°11′S	106°50′E	8
Saumlaki	7°59′S	131°18′E	24
Nukunono	9°12′S	171°55′W	3
Taiohae	8°56′S	140°05′W	18
Chiclayo	6°47′S	79°50′W	37
Conceicao do Araguaia Ascension Island	8°16′S 7°55′S	49°17′W 14°25′W	157 6
10°-15° S			
Lobito	12°22′S	13000/17	9
Lobito Agalega	12°22′S 10°33′S	13°22′E 56°45′E	3 8
Agalega Christmas Island	10°25′S	105°40′E	8 17
Darwin Aerodrome	10°26′S	130°52′E	6
Vanikoro	11°49′S	166°47′E	2
Pukapuka	10°53′S	165°49′W	3
Fakaroa	14°29′S	145°05′W	3
Pisco	13°45′S	76°17′W	7
Salvador	12°54′S	38°20′W	13

Station name	Latitude	Longitude	Height (m)	
15°-20° S		·		
Mocâmedes	15°12′S	12°09′E	45	
Maintirano	18°03′S	44°02′E	25	
Rodrigues Island	19°41'S	63°25′E	59	
Broome	17°57′S	122°13′E	9	
Vila	17°45′S	168°19′E	20	
Niue	19°02′S	169°55′W	6	
Hikueru	17°33′S	142°40'W	3	
Arica	18°22′S	70°21′W	70°21′W 35	
St. Helena Island	15°58′S	5°42′W	6	




FIGURE 1.—Plot of phase difference against longitude difference for zonal belts in the Northern Hemisphere (plotted for the wave of periodicity 4.4 days). Different markings of points denote the phases of different stations in the belt with respect to a particular station as indicated.

The stations are then grouped in different meridian belts alined along previously chosen meridians. Comparison of phases for stations arranged on four meridians separated by 90° (i.e., 10°E, 100°E, 170°W, 80°W) is given in table 2. The reference station has been chosen




FIGURE 2.—The same as figure 1 for stations in the Southern Hemisphere.

as the one that is closest to the meridian considered for the group. As is seen from the table, the phase differences of stations along the same meridian are quite small and all the values lie within the 95-percent confidence interval. This provides strong evidence that the wave reaches a particular meridian in all zonal belts in practically the same epoch. The propagation, therefore, is purely zonal.

4. DISCUSSION

The study gives conclusive evidence for a 4- to 5-day planetary pressure wave in the Tropics. The speed of the wave matches those obtained in some earlier studies on planetary waves by Deland (1964), Eliasen and Machenhauer (1965), and others. With a plot of the amplitude and phase of the Fourier zonal harmonics of the 500-mb height for the latitudes 40°, 50°, and 60°N, Deland (1964) showed that the dominant retrogressive wave speed was 90° of longitude per day for the wave of wave number 1. For the same large-scale wave, Eliasen and Machenhauer (1965) found evidence of westward propagation with a

Table 2.—Comparison of phase differences for stations arranged on meridian lines

Station name	Latitude	Longitude difference	Phase difference	Coherence
10° East meridian				
Refe	rence—Mayumba	3°25′S,10°39′E	}	
Mocamedes	15°12′S	1°30′	16°	0. 27
Lobito	12°22′S	2°43′	10°	. 31
Luanda	8°51′S	2°35′	1°	. 45
Libreville	0°27′N	-1°14′	-12°	. 56
Makurdi	7°41′N	-2°02′	-9°	. 33
Potiskum	1° 42′N	0°23′	-13°	. 13
Bilma	18°41′N	2°16′	10°	. 41
100° East meridian				
Refe	rence—Phitsanule	ok 16°50'N,100	'16'E	
Christmas Island	10°25′S	5°24′	-32°	0, 20
Djakarta	6°11′S	6°34′	2°	. 32
Bengkulu	3°25′S	2°04′	-21°	. 17
Singapore	1°21′N	3°38′	-13°	. 42
Songkhla	7°11′N	0°21′	-16°	. 48
Bangkok	13°44′N	0°14′	-8°	. 66
170° West meridian				
	Reference-Niue	19°2′S,169°55′W	7	
Pukapuka	10°53′S	0°06′	21°	0. 27
Nukunono	9°12′S	-2°00′	· -13°	. 24
Canton Island	2°46′S	$-1^{\circ}48'$	20°	. 19
Johnston Island	16°44′N	0°24′	-6°	. 23
80° West meridian				
R	eference-Chiclay	70 6°47′S,79°50	· w	
Arica	18°22′S	9°29′	9°	0. 23
Pisco	13°45′S	3°33′	6°	. 44
Iquitos	3°45′S	6°35′	34°	. 22
Albrook	8°58′N	0°14′	21°	. 35
Swan Island	17°24′N	-4°06′	16°	. 33

speed of 70° of longitude per day in the 24-hr tendency field of 500-mb heights. These studies confirmed the earlier model of Haurwitz (1940). Deland and Lin (1967) have tried to predict the speed of the traveling planetary scale waves from the tendency field using the barotropic vorticity equation, but no apparent improvement over the simple Rossby-Haurwitz model has yet been accomplished.

A discussion of the vertical propagation of the planetary waves is given by Lindzen (1967). It is found that as one gets sufficiently near the Equator, waves of any period and zonal wave number will become "untrapped," contrary to the analysis of Charney and Drazin (1961), and propagate upward as internal gravity waves. The upward propagation of the waves evidenced in the paper is yet to be observed. Work in this regard with a view to the dynamics of these waves will be reported in a forthcoming paper.

ACKNOWLEDGMENTS

The author is deeply grateful to R. Ananthakrishnan for his constant encouragement and kind guidance on the work. Assistance from J. M. Pathan, A. S. Gade, J. S. Pethkar, and S. K. Savant at various stages of the work is sincerely appreciated.

REFERENCES

Charney, Jule G., and Drazin, P. G., "Propagation of Planetary-Scale Disturbances From the Lower Into the Upper Atmosphere," *Journal of Geophysical Research*, Vol. 66, No. 1, Jan. 1961, pp. 83-109.

- Deland, Raymond J., "Travelling Planetary Waves," Tellus, Vol. 16, No. 2, Stockholm, Sweden, May 1964, pp. 271-273.
- Deland, Raymond J., and Lin, Yeong-Jer, "On the Movement and Prediction of Traveling Planetary-Scale Waves," Monthly Weather Review, Vol. 95, No. 1, Jan. 1967, pp. 21-31.
- Eliasen, Erik, and Machenhauer, Bennert, "A Study of the Fluctuations of the Atmospheric Planetary Flow Patterns Represented by Spherical Harmonics," *Tellus*, Vol. 17, No. 2, Stockholm, Sweden, May 1965, pp. 220-238.
- Haurwitz, Bernhard, "The Motion of Atmospheric Disturbances on a Spherical Earth," *Journal of Marine Research*, Vol. 3, No. 3, Dec. **1940**, pp. 254-267.

- Jenkins, Gwilym M., and Watts, Donald G., Spectrum Analysis and Its Applications, Holden-Day, Inc., San Francisco, Calif., 1968, 523 pp.
- Lindzen, Richard D., "Planetary Waves on Beta-Planes," Monthly Weather Review, Vol. 95, No. 7, July 1967, pp. 441-451.
- Misra, Bijoy M., "A Time-Series Analysis of the Global Atmospheric Pressure," Proceedings of the International Symposium on Probability and Statistics in Atmospheric Sciences, Honolulu, Hawaii, June 1-4, 1971, American Meteorological Society, Boston, Mass., 1971, pp. 41-46.
- Wallace, John M., and Chang, Chih-Pei, "Spectrum Analysis of Large-Scale Wave Disturbances in the Tropical Lower Troposphere," Journal of the Atmospheric Sciences, Vol. 26, No. 5, Part 2, Sept. 1969, pp. 1010-1025.

[Received June 2, 1971; revised August 23, 1971]